LIN’S LIGHTS

OUTDOOR LIGHTING, THOUGHTFULLY SELECTED

2026 / CLIENT SELECTION CATALOG

Courtyard & Garden

Find the right light for your project.
Choose your models, finishes and quantities, then share your selections with your contractor.



B801-A

214 models and product options

Product photography • Specifications • Selection worksheet



Sand black · Catalog photo

B801-A

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 11.22 in

Dimensions: 8.27 × 11.22 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B801-B

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 11.02 in

Dimensions: 8.27 × 11.02 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B802-A

Mushroom · Integrated LED · 12W · AC85-260V · 8.27 × 11.22 in

Dimensions: 8.27 × 11.22 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B802-B

Mushroom · Integrated LED · 12W · AC85-260V · 7.87 × 11.02 in

Dimensions: 7.87 × 11.02 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B803-A

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 12.2 in

Dimensions: 8.46 × 12.2 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B805-A

Hourglass · Integrated LED · 12W · AC85-260V · 7.87 × 12.2 in

Dimensions: 7.87 × 12.2 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B806-A

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 11.22 in

Dimensions: 7.87 × 11.22 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B806-B

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 11.42 in

Dimensions: 7.87 × 11.42 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L801-400-A

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 14.37 in

Dimensions: 8.27 × 14.37 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L801-600-A

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 22.24 in

Dimensions: 8.27 × 22.24 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L801-800-A

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 30.12 in

Dimensions: 8.27 × 30.12 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L801-450-B

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 15.16 in

Dimensions: 8.27 × 15.16 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L801-590-B

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 20.67 in

Dimensions: 8.27 × 20.67 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L801-700-B

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 25 in

Dimensions: 8.27 × 25 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L801-840-B

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 30.51 in

Dimensions: 8.27 × 30.51 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L801-970-B

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 35.63 in

Dimensions: 8.27 × 35.63 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L802-400-A

Mushroom · Integrated LED · 12W · AC85-260V · 7.87 × 14.37 in

Dimensions: 7.87 × 14.37 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L802-600-A

Mushroom · Integrated LED · 12W · AC85-260V · 7.87 × 22.24 in

Dimensions: 7.87 × 22.24 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L802-800-A

Mushroom · Integrated LED · 12W · AC85-260V · 7.87 × 30.12 in

Dimensions: 7.87 × 30.12 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L802-450-B

Mushroom · Integrated LED · 12W · AC85-260V · 7.87 × 15.55 in

Dimensions: 7.87 × 15.55 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L802-590-B

Mushroom · Integrated LED · 12W · AC85-260V · 7.87 × 21.06 in

Dimensions: 7.87 × 21.06 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L802-700-B

Mushroom · Integrated LED · 12W · AC85-260V · 7.87 × 25.39 in

Dimensions: 7.87 × 25.39 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L802-840-B

Mushroom · Integrated LED · 12W · AC85-260V · 7.87 × 30.91 in

Dimensions: 7.87 × 30.91 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L802-970-B

Mushroom · Integrated LED · 12W · AC85-260V · 7.87 × 36.02 in

Dimensions: 7.87 × 36.02 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L803-400-A

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 15.55 in

Dimensions: 8.46 × 15.55 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L803-600-A

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 23.43 in

Dimensions: 8.46 × 23.43 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L803-800-A

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 31.3 in

Dimensions: 8.46 × 31.3 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L803-1200-Extended

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 47.24 in

Dimensions: 8.46 × 47.24 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L803-450-B

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 16.34 in

Dimensions: 8.46 × 16.34 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L803-590-B

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 21.85 in

Dimensions: 8.46 × 21.85 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L803-700-B

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 26.18 in

Dimensions: 8.46 × 26.18 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L803-840-B

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 31.69 in

Dimensions: 8.46 × 31.69 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L803-970-B

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 36.81 in

Dimensions: 8.46 × 36.81 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L805-400-A

Hourglass · Integrated LED · 12W · AC85-260V · 7.87 × 15.75 in

Dimensions: 7.87 × 15.75 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L805-600-A

Hourglass · Integrated LED · 12W · AC85-260V · 7.87 × 23.62 in

Dimensions: 7.87 × 23.62 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L805-800-A

Hourglass · Integrated LED · 12W · AC85-260V · 7.87 × 31.5 in

Dimensions: 7.87 × 31.5 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L805-450-B

Hourglass · Integrated LED · 12W · AC85-260V · 7.87 × 16.93 in

Dimensions: 7.87 × 16.93 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L805-590-B

Hourglass · Integrated LED · 12W · AC85-260V · 7.87 × 22.44 in

Dimensions: 7.87 × 22.44 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L805-700-B

Hourglass · Integrated LED · 12W · AC85-260V · 7.87 × 26.77 in

Dimensions: 7.87 × 26.77 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L805-840-B

Hourglass · Integrated LED · 12W · AC85-260V · 7.87 × 32.09 in

Dimensions: 7.87 × 32.09 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L805-970-B

Hourglass · Integrated LED · 12W · AC85-260V · 7.87 × 37.4 in

Dimensions: 7.87 × 37.4 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L806-400-A

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 14.41 in

Dimensions: 7.87 × 14.41 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L806-600-A

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 22.28 in

Dimensions: 7.87 × 22.28 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L806-800-A

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 30.16 in

Dimensions: 7.87 × 30.16 in
Aluminum tube diameter: 1.89 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.89 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L806-450-B

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 15.35 in

Dimensions: 7.87 × 15.35 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L806-590-B

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 20.87 in

Dimensions: 7.87 × 20.87 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L806-700-B

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 25.2 in

Dimensions: 7.87 × 25.2 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L806-840-B

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 30.71 in

Dimensions: 7.87 × 30.71 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L806-970-B

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 35.83 in

Dimensions: 7.87 × 35.83 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B825-B

Mushroom · Integrated LED · 12W · AC85-260V · 8.27 × 11.14 in

Dimensions: 8.27 × 11.14 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L825-450-B

Mushroom · Integrated LED · 12W · AC85-260V · 8.27 × 17.68 in

Dimensions: 8.27 × 17.68 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L825-590-B

Mushroom · Integrated LED · 12W · AC85-260V · 8.27 × 23.19 in

Dimensions: 8.27 × 23.19 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L825-700-B

Mushroom · Integrated LED · 12W · AC85-260V · 8.27 × 27.52 in

Dimensions: 8.27 × 27.52 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L825-840-B

Mushroom · Integrated LED · 12W · AC85-260V · 8.27 × 33.03 in

Dimensions: 8.27 × 33.03 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L825-970-B

Mushroom · Integrated LED · 12W · AC85-260V · 8.27 × 38.15 in

Dimensions: 8.27 × 38.15 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L825-600-A

Mushroom · Integrated LED · 12W · AC85-260V · 8.27 × 22.87 in

Dimensions: 8.27 × 22.87 in
Aluminum tube diameter: 1.5 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L825-800-A

Mushroom · Integrated LED · 12W · AC85-260V · 8.27 × 30.75 in

Dimensions: 8.27 × 30.75 in
Aluminum tube diameter: 1.5 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B826-B

Flying Saucer · Integrated LED · 12W · AC85-260V · 8.27 × 10.59 in

Dimensions: 8.27 × 10.59 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L826-395-B

Flying Saucer · Integrated LED · 12W · AC85-260V · 8.27 × 17.13 in

Dimensions: 8.27 × 17.13 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L826-535-B

Flying Saucer · Integrated LED · 12W · AC85-260V · 8.27 × 22.64 in

Dimensions: 8.27 × 22.64 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L826-645-B

Flying Saucer · Integrated LED · 12W · AC85-260V · 8.27 × 26.97 in

Dimensions: 8.27 × 26.97 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L826-780-B

Flying Saucer · Integrated LED · 12W · AC85-260V · 8.27 × 32.48 in

Dimensions: 8.27 × 32.48 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L826-915-B

Flying Saucer · Integrated LED · 12W · AC85-260V · 8.27 × 37.6 in

Dimensions: 8.27 × 37.6 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L826-600-A

Flying Saucer · Integrated LED · 12W · AC85-260V · 8.27 × 22.32 in

Dimensions: 8.27 × 22.32 in
Aluminum tube diameter: 1.5 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L826-800-A

Flying Saucer · Integrated LED · 12W · AC85-260V · 8.27 × 30.2 in

Dimensions: 8.27 × 30.2 in
Aluminum tube diameter: 1.5 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B827-B

Lantern · Integrated LED · 12W · AC85-260V · 7.28 × 12.19 in

Dimensions: 7.28 × 12.19 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B827-B-

Lantern · E27 holder · 12W · AC85-260V · 7.28 × 12.8 in

Dimensions: 7.28 × 12.8 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-505-B

Lantern · Integrated LED · 12W · AC85-260V · 7.28 × 19.72 in

Dimensions: 7.28 × 19.72 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-645-B

Lantern · Integrated LED · 12W · AC85-260V · 7.28 × 25.24 in

Dimensions: 7.28 × 25.24 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-755-B

Lantern · Integrated LED · 12W · AC85-260V · 7.28 × 29.57 in

Dimensions: 7.28 × 29.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-895-B

Lantern · Integrated LED · 12W · AC85-260V · 7.28 × 35.08 in

Dimensions: 7.28 × 35.08 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-1025-B

Lantern · Integrated LED · 12W · AC85-260V · 7.28 × 40.2 in

Dimensions: 7.28 × 40.2 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-505-B-

Lantern · E27 holder · 12W · AC85-260V · 7.28 × 20.31 in

Dimensions: 7.28 × 20.31 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-645-B-

Lantern · E27 holder · 12W · AC85-260V · 7.28 × 25.83 in

Dimensions: 7.28 × 25.83 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-755-B-

Lantern · E27 holder · 12W · AC85-260V · 7.28 × 30.16 in

Dimensions: 7.28 × 30.16 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-895-B-

Lantern · E27 holder · 12W · AC85-260V · 7.28 × 35.67 in

Dimensions: 7.28 × 35.67 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-1025-B-

Lantern · E27 holder · 12W · AC85-260V · 7.28 × 40.79 in

Dimensions: 7.28 × 40.79 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-600-A

Lantern · Integrated LED · 12W · AC85-260V · 7.28 × 24.92 in

Dimensions: 7.28 × 24.92 in
Aluminum tube diameter: 1.5 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-800-A

Lantern · Integrated LED · 12W · AC85-260V · 7.28 × 32.8 in

Dimensions: 7.28 × 32.8 in
Aluminum tube diameter: 1.5 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-600-A-

Lantern · E27 holder · 12W · AC85-260V · 7.28 × 25.51 in

Dimensions: 7.28 × 25.51 in
Aluminum tube diameter: 1.5 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L827-800-A-

Lantern · E27 holder · 12W · AC85-260V · 7.28 × 33.39 in

Dimensions: 7.28 × 33.39 in
Aluminum tube diameter: 1.5 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B828-B

Pagoda · Integrated LED · 12W · AC85-260V · 7.87 × 11.1 in

Dimensions: 7.87 × 11.1 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B828-B-

Pagoda · E27 holder · 12W · AC85-260V · 7.87 × 11.69 in

Dimensions: 7.87 × 11.69 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-415-B

Pagoda · Integrated LED · 12W · AC85-260V · 7.87 × 16.5 in

Dimensions: 7.87 × 16.5 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-555-B

Pagoda · Integrated LED · 12W · AC85-260V · 7.87 × 22.01 in

Dimensions: 7.87 × 22.01 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-665-B

Pagoda · Integrated LED · 12W · AC85-260V · 7.87 × 26.34 in

Dimensions: 7.87 × 26.34 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-805-B

Pagoda · Integrated LED · 12W · AC85-260V · 7.87 × 31.85 in

Dimensions: 7.87 × 31.85 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-935-B

Pagoda · Integrated LED · 12W · AC85-260V · 7.87 × 36.97 in

Dimensions: 7.87 × 36.97 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-415-B-

Pagoda · E27 holder · 12W · AC85-260V · 7.87 × 17.09 in

Dimensions: 7.87 × 17.09 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-555-B-

Pagoda · E27 holder · 12W · AC85-260V · 7.87 × 22.6 in

Dimensions: 7.87 × 22.6 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-665-B-

Pagoda · E27 holder · 12W · AC85-260V · 7.87 × 26.93 in

Dimensions: 7.87 × 26.93 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-805-B-

Pagoda · E27 holder · 12W · AC85-260V · 7.87 × 32.44 in

Dimensions: 7.87 × 32.44 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-935-B-

Pagoda · E27 holder · 12W · AC85-260V · 7.87 × 37.56 in

Dimensions: 7.87 × 37.56 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-600-A

Pagoda · Integrated LED · 12W · AC85-260V · 7.87 × 23.82 in

Dimensions: 7.87 × 23.82 in
Aluminum tube diameter: 1.5 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-800-A

Pagoda · Integrated LED · 12W · AC85-260V · 7.87 × 31.69 in

Dimensions: 7.87 × 31.69 in
Aluminum tube diameter: 1.5 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-600-A-

Pagoda · E27 holder · 12W · AC85-260V · 7.87 × 24.41 in

Dimensions: 7.87 × 24.41 in
Aluminum tube diameter: 1.5 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L828-800-A-

Pagoda · E27 holder · 12W · AC85-260V · 7.87 × 32.28 in

Dimensions: 7.87 × 32.28 in
Aluminum tube diameter: 1.5 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote. Aluminum tube diameter: 1.5 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T801-Post-Top

Straw Hat · Integrated LED · 12W · AC85-260V · 8.27 × 11.42 in

Dimensions: 8.27 × 11.42 in
Post-top base diameter: 4.92 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T802-Post-Top

Mushroom · Integrated LED · 12W · AC85-260V · 7.87 × 11.81 in

Dimensions: 7.87 × 11.81 in
Post-top base diameter: 4.92 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T803-Post-Top

Six-petal Flower · Integrated LED · 12W · AC85-260V · 8.46 × 12.6 in

Dimensions: 8.46 × 12.6 in
Post-top base diameter: 4.92 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T805-Post-Top

Hourglass · Integrated LED · 12W · AC85-260V · 7.87 × 13.19 in

Dimensions: 7.87 × 13.19 in
Post-top base diameter: 4.92 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T806-Post-Top

Striped Cone · Integrated LED · 12W · AC85-260V · 7.87 × 11.61 in

Dimensions: 7.87 × 11.61 in
Post-top base diameter: 4.92 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T825-Post-Top

Mushroom · Integrated LED · 12W · AC85-260V · 8.27 × 11.81 in

Dimensions: 8.27 × 11.81 in
Post-top base diameter: 4.92 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T826-Post-Top

Flying Saucer · Integrated LED · 12W · AC85-260V · 8.27 × 11.22 in

Dimensions: 8.27 × 11.22 in
Post-top base diameter: 4.92 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T827-Post-Top

Lantern · Integrated LED · 12W · AC85-260V · 7.28 × 13.58 in

Dimensions: 7.28 × 13.58 in
Post-top base diameter: 4.92 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T827-Post-Top-

Lantern · E27 holder · 12W · AC85-260V · 7.28 × 14.57 in

Dimensions: 7.28 × 14.57 in
Post-top base diameter: 4.92 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T828-Post-Top

Pagoda · Integrated LED · 12W · AC85-260V · 7.87 × 12.6 in

Dimensions: 7.87 × 12.6 in
Post-top base diameter: 4.92 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

T828-Post-Top-

Pagoda · E27 holder · 12W · AC85-260V · 7.87 × 13.58 in

Dimensions: 7.87 × 13.58 in
Post-top base diameter: 4.92 in
Lamp: E27 holder
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: E27 holder - catalog 12W
Catalog default: 3000K. E27 bulb selection and inclusion confirmed with your quote. Post-top base diameter: 4.92 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L807-4

Adjustable Linear · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L807-6

Adjustable Linear · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L807-8

Adjustable Linear · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L807-2-A-6

Adjustable Linear · Integrated LED · 36W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 36W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 36W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L807-2-A-8

Adjustable Linear · Integrated LED · 36W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 36W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 36W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L807-2-B-4

Adjustable Linear · Integrated LED · 36W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 36W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 36W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L807-2-B-6

Adjustable Linear · Integrated LED · 36W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 36W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 36W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L807-2-B-8

Adjustable Linear · Integrated LED · 36W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 36W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 36W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L808-4

Adjustable Cone · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L808-6

Adjustable Cone · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L808-8

Adjustable Cone · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L808-2-A-6

Adjustable Cone · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L808-2-A-8

Adjustable Cone · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L808-2-B-4

Adjustable Cone · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L808-2-B-6

Adjustable Cone · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L808-2-B-8

Adjustable Cone · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L809-4

Adjustable Square Arc · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L809-6

Adjustable Square Arc · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L809-8

Adjustable Square Arc · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L809-2-A-6

Adjustable Square Arc · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L809-2-A-8

Adjustable Square Arc · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L809-2-B-4

Adjustable Square Arc · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L809-2-B-6

Adjustable Square Arc · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L809-2-B-8

Adjustable Square Arc · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L810-4

Adjustable Double Round · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L810-6

Adjustable Double Round · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L810-8

Adjustable Double Round · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L810-2-A-6

Adjustable Double Round · Integrated LED · 48W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 48W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 48W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L810-2-A-8

Adjustable Double Round · Integrated LED · 48W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 48W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 48W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L811-4

Adjustable Double Square · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L811-6

Adjustable Double Square · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L811-8

Adjustable Double Square · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L811-2-A-6

Adjustable Double Square · Integrated LED · 48W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 48W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 48W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L811-2-A-8

Adjustable Double Square · Integrated LED · 48W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 48W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 48W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L812-4

Adjustable Rectangle · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L812-6

Adjustable Rectangle · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L812-8

Adjustable Rectangle · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L812-2-A-6

Adjustable Rectangle · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L812-2-A-8

Adjustable Rectangle · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L812-2-B-4

Adjustable Rectangle · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L812-2-B-6

Adjustable Rectangle · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L812-2-B-8

Adjustable Rectangle · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L813-4

Adjustable Round · Integrated LED · 10W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 10W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 10w
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L813-6

Adjustable Round · Integrated LED · 10W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 10W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 10w
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L813-8

Adjustable Round · Integrated LED · 10W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 10W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 10w
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L813-2-A-6

Adjustable Round · Integrated LED · 20W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 20W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 20W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L813-2-A-8

Adjustable Round · Integrated LED · 20W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 20W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 20W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L813-2-B-4

Adjustable Round · Integrated LED · 20W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 20W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 20W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L813-2-B-6

Adjustable Round · Integrated LED · 20W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 20W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 20W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L813-2-B-8

Adjustable Round · Integrated LED · 20W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 20W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 20W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L813-3-10

Adjustable Round · Integrated LED · 36W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 36W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 36W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L815-4

Adjustable Square · Integrated LED · 10W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 10W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 10w
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L815-6

Adjustable Square · Integrated LED · 10W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 10W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 10w
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L815-8

Adjustable Square · Integrated LED · 10W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 10W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 10w
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L815-2-A-6

Adjustable Square · Integrated LED · 20W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 20W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 20W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L815-2-A-8

Adjustable Square · Integrated LED · 20W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 20W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 20W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L815-2-B-4

Adjustable Square · Integrated LED · 20W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 20W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 20W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L815-2-B-6

Adjustable Square · Integrated LED · 20W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 20W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 20W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L815-2-B-8

Adjustable Square · Integrated LED · 20W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 20W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 20W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L816-4

Adjustable Globe · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L816-6

Adjustable Globe · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L816-8

Adjustable Globe · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L816-2-A-6

Adjustable Globe · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L816-2-A-8

Adjustable Globe · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L816-2-B-4

Adjustable Globe · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L816-2-B-6

Adjustable Globe · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L816-2-B-8

Adjustable Globe · Integrated LED · 24W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 24W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 24W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L816-3-10

Adjustable Globe · Integrated LED · 36W · AC85-260V

Overall dimensions: Confirmed with your quote
Aluminum tube diameter: 1.57 in
Lamp: Integrated LED
Rated power: 36W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 36W
Catalog default: 3000K. Overall dimensions confirmed with quote. Aluminum tube diameter: 1.57 in.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7001

Adjustable Rectangle · Integrated LED · 12W · AC85-260V · 9.65 × 4.13 × 4.33 in

Dimensions: 9.65 × 4.13 × 4.33 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12w
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7002

Adjustable Square · Integrated LED · 10W · AC85-260V · 7.48 × 5.91 × 5.51 in

Dimensions: 7.48 × 5.91 × 5.51 in
Lamp: Integrated LED
Rated power: 10W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 10w
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7003

Adjustable Round · Integrated LED · 10W · AC85-260V · 6.69 × 5.51 × 5.12 in

Dimensions: 6.69 × 5.51 × 5.12 in
Lamp: Integrated LED
Rated power: 10W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 10w
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7005

Adjustable Globe · Integrated LED · 12W · AC85-260V · 7.48 × 4.72 × 6.1 in

Dimensions: 7.48 × 4.72 × 6.1 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12w
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7006

Adjustable Cone · Integrated LED · 12W · AC85-260V · Ø6.3 × H 7.87 in

Dimensions: Ø6.3 × H 7.87 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7007

Adjustable Linear · Integrated LED · 18W · AC85-260V · L 8.66 × W 4.72 × H 6.3 in

Dimensions: L 8.66 × W 4.72 × H 6.3 in
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7008

Square Arc · Integrated LED · 12W · AC85-260V · L 6.3 × W 6.3 × H 7.87 in

Dimensions: L 6.3 × W 6.3 × H 7.87 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7009

Adjustable Double Round · Integrated LED · 2*12W · AC85-260V · Ø6.3 × H 7.87 in

Dimensions: Ø6.3 × H 7.87 in
Lamp: Integrated LED
Rated power: 2*12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 2*12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7010

Adjustable Double Square · Integrated LED · 2*12W · AC85-260V · L 6.3 × W 6.3 × H 7.87 in

Dimensions: L 6.3 × W 6.3 × H 7.87 in
Lamp: Integrated LED
Rated power: 2*12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 2*12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L817-4

Foldable Large Round · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L817-6

Foldable Large Round · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L817-8

Foldable Large Round · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L818-4

Foldable Small Round · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L818-6

Foldable Small Round · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L818-8

Foldable Small Round · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L819-4

Foldable Linear · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L819-6

Foldable Linear · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L819-8

Foldable Linear · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L820-4

Foldable Square · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L820-6

Foldable Square · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L820-8

Foldable Square · Integrated LED · 18W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L821-4

Foldable Triangle · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L821-6

Foldable Triangle · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L821-8

Foldable Triangle · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L822-4

Foldable Oval · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L822-6

Foldable Oval · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L822-8

Foldable Oval · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L823-4

Foldable Rectangle · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L823-6

Foldable Rectangle · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

L823-8

Foldable Rectangle · Integrated LED · 12W · AC85-260V

Overall dimensions: Confirmed with your quote
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K. Overall dimensions confirmed with quote.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7011

Foldable Large Round · Integrated LED · 18W · AC85-260V · Ø8.27 × H 1.57 in

Dimensions: Ø8.27 × H 1.57 in
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7012

Foldable Small Round · Integrated LED · 12W · AC85-260V · Ø6.22 × H 1.57 in

Dimensions: Ø6.22 × H 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7013

Foldable Linear · Integrated LED · 18W · AC85-260V · L 9.45 × W 4.72 × H 1.57 in

Dimensions: L 9.45 × W 4.72 × H 1.57 in
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7014

Foldable Square · Integrated LED · 18W · AC85-260V · L 7.4 × W 7.4 × H 1.57 in

Dimensions: L 7.4 × W 7.4 × H 1.57 in
Lamp: Integrated LED
Rated power: 18W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 18W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7015

Foldable Triangle · Integrated LED · 12W · AC85-260V · L 7.68 × W 6.69 × H 1.57 in

Dimensions: L 7.68 × W 6.69 × H 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7016

Foldable Oval · Integrated LED · 12W · AC85-260V · L 7.48 × W 5.91 × H 1.57 in

Dimensions: L 7.48 × W 5.91 × H 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7017

Foldable Rectangle · Integrated LED · 12W · AC85-260V · L 7.28 × W 5.16 × H 1.57 in

Dimensions: L 7.28 × W 5.16 × H 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____



Sand black · Catalog photo

B7018

Foldable Semicircle · Integrated LED · 12W · AC85-260V · L 7.4 × W 5.12 × H 1.57 in

Dimensions: L 7.4 × W 5.12 × H 1.57 in
Lamp: Integrated LED
Rated power: 12W
Voltage: AC85-260V
Material: Die-cast Alu + PC
Light color: 3000K
Pictured finish: Sand black
Light output: 12W
Catalog default: 3000K.

Quantity: _____ Location / notes: _____

Your lighting selections

Record the exact model, finish, light color and quantity. Return this worksheet to your contractor for product confirmation and ordering.

Client: _____ Project: _____ Date: _____

MODEL NUMBER	FINISH	LIGHT COLOR	QTY	LOCATION / NOTES

Finishes and options vary by model. Product photos show the catalog finish; confirm your selected finish with your contractor. Dimensions shown in inches are approximate. Final specifications and compatibility must be confirmed before installation.