LIN’S LIGHTS

OUTDOOR LIGHTING, THOUGHTFULLY SELECTED

2026 / CLIENT SELECTION CATALOG

Radar

Find the right light for your project.
Choose your models, finishes and quantities, then share your selections with your contractor.



RAL-8100-BBR

143 models and product options

Product photography • Specifications • Selection worksheet



Architectural bronze · Catalog photo

RAL-8100-BBR

Brass · spotlight

Diameter: 2.06 in
Length: 3.92 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RAL-8102S-BBR

Brass · spotlight

Finishes: Antique brass
Light output: No bulb — fixture only
Lamp: 1 × MR16; bulb selected separately
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RAL-8101S-BBR

Brass · spotlight

Diameter: 2.6 in
Length: 4.11 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Antique bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RAL-8101L-BBR

Brass · spotlight

Diameter: 2.25 in
Length: 6.39 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RAL-8102-BBR

Brass · spotlight

Diameter: 2.42 in
Length: 6.88 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Antique bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RAL-8102X-BBR

Brass · spotlight

Diameter: 2.45 in
Length: 6.97 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RAL-8103-BBR

Brass · spotlight

Finishes: Antique brass
Light output: No bulb — fixture only
Lamp: 1 × MR11; bulb selected separately
Bulb optional; choose a matching MR11 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RAL-8104-BBR

Brass · spotlight

Finishes: Antique brass
Light output: No bulb — fixture only
Lamp: 1 × MR8; bulb selected separately
Bulb optional; choose a matching MR8 lamp below.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RAL-8105-BBR

Brass · spotlight

Diameter: 2.38 in
Adjustable body length: 5.15 - 7.19 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Fixture features: Adjustable hood
Pictured finish: Antique bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RAL-8105L-BBR

Brass · spotlight

Finishes: Antique brass
Light output: No bulb — fixture only
Lamp: 1 × MR16; bulb selected separately
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RAL-8105P-BBR

Brass · spotlight

Diameter: 2.37 in
Adjustable body length: 7.24 - 9.26 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Fixture features: Adjustable hood
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RAL-8106H-BBR

Brass · spotlight

Finishes: Antique brass
Light output: No bulb — fixture only
Lamp: 1 × PAR36; bulb selected separately
Bulb optional; choose a matching PAR36 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RAL-8107-BBR

Brass · wall & deck light

Body length: 8.31 in
Body diameter: 2.34 in
Round base diameter: 2.67 in
Base thickness: 0.86 in
Material: Brass
Voltage: 12V
Lamp: 2 × MR16; bulbs not included
Fixture features: Round base / Selectable rectangular base
Pictured finish: Architectural bronze
Configuration: Round base / Rectangular base · quote required
Light output: No bulb — fixture only
Two MR16 sockets. A bulb selection adds two matching bulbs per fixture.

Quantity: _____ Location / notes: _____



Catalog product photo

RAL-8107-BLACK-SQUARE

Brass wall light · black square base · two MR16 bulbs optional

Finishes: Matte black
Light output: No bulb — fixture only
Lamp: 2 × MR16; bulb selected separately
Two MR16 sockets. A bulb selection adds two matching bulbs per fixture.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RAL-8108-BBR

Brass · wall & deck light

Body height: 4.33 in
Overall height: 4.97 in
Projection: 3.34 in
Base diameter: 2.69 in
Base thickness: 0.87 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RAL-8109-BBR

Brass · wall & deck light

Body length: 4.32 in
Body diameter: 2.34 in
Base diameter: 2.67 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Fixture features: 90 degree tilt / 270 degree swivel
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Black · Catalog photo

RAL-6101

Aluminum · spotlight

Diameter: 2.28 in
Length: 5.55 in
Material: Aluminum
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Black
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Black · Catalog photo

RAL-6102

Aluminum · spotlight

Diameter: 2.83 in
Length: 5.8 in
Material: Aluminum
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Black
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RAL-8105H-BBR

Brass hanging light / spotlight · MR16 bulb optional

Finishes: Antique brass
Light output: No bulb — fixture only
Lamp: 1 × MR16; bulb selected separately
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RHL-8400-BBR

Brass · hanging light

Diameter: 2.23 in
Height: 5.29 in
Material: Brass
Voltage: 12V AC/DC
Lamp: 1 × MR16; bulbs not included
Pictured finish: Antique bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RHL-8401-BBR

Brass · hanging light

Diameter: 2.12 in
Height: 4.1 in
Material: Brass
Voltage: 12V AC/DC
Lamp: 1 × MR16; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RHL-8402-BBR

Brass · hanging light

Diameter: 2.13 in
Height: 7.48 in
Material: Brass
Voltage: 12V AC/DC
Lamp: 1 × MR16; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RWL-8600-BBR

Brass · flood light

Width: 3.98 in
Face height: 2.09 in
Overall height: 4.28 in
Material: Brass
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Antique bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RUL-8400-BBR

Brass · underwater light

Height: 5.12 in
Face diameter: 3.3 in
Base width: 4.53 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
IP rating: IP68
Fixture wire lead: 300 in
Pictured finish: Antique bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RUL-8401-BBR

Brass · underwater light

Head length: 3.55 in
Face diameter: 3.84 in
Base height: 2.93 in
Base diameter: 3.7 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
IP rating: IP68
Fixture wire lead: 36 in
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RUL-8402-BBR

Brass · underwater light

Overall dimensions: Confirmed with your quote
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
IP rating: IP68
Fixture wire lead: 36 in
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RUL-8403-BBR

Brass · underwater light

Overall dimensions: Confirmed with your quote
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
IP rating: IP68
Fixture wire lead: 36 in
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RPL-8900-BBR

Brass · pathway light

Shade diameter: 3.3 in
Shade height: 1.37 in
Lamp enclosure height: 1.67 in
Material: Brass
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Antique bronze
Configuration: 12 inch post / 15 inch post / 18 inch post / 24 inch post · quote required
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below. Dimensions refer to the pictured supplier configuration; selectable post lengths can change overall height.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RPL-8901-BBR

Brass · pathway light

Shade diameter: 5.88 in
Shade height: 2.27 in
Lamp enclosure height: 0.98 in
Material: Brass
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Antique bronze
Configuration: 12 inch post / 15 inch post / 18 inch post / 24 inch post
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below. Dimensions refer to the pictured supplier configuration; selectable post lengths can change overall height.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RPL-8902-BBR

Brass · pathway light

Shade diameter: 7.8 in
Shade height: 2.42 in
Lamp enclosure height: 0.9 in
Material: Brass
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Antique bronze
Configuration: 12 inch post · quote required / 15 inch post / 18 inch post / 24 inch post
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below. Dimensions refer to the pictured supplier configuration; selectable post lengths can change overall height.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RPL-8904-BBR

Brass · pathway light

Upper shade diameter: 3.97 in
Shade diameter: 5.95 in
Shade height: 1.97 in
Material: Brass
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Antique bronze
Configuration: 12 inch post · quote required / 15 inch post / 18 inch post / 24 inch post
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below. Dimensions refer to the pictured supplier configuration; selectable post lengths can change overall height.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RPL-8905-BBR

Brass · pathway light

Upper shade diameter: 4.9 in
Shade diameter: 8.42 in
Shade height: 3.31 in
Material: Brass
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Antique bronze
Configuration: 12 inch post · quote required / 15 inch post / 18 inch post / 24 inch post
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below. Dimensions refer to the pictured supplier configuration; selectable post lengths can change overall height.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RPL-8906-BBR

Brass · pathway light

Arm length: 5.71 in
Arm thickness: 0.98 in
Height: 20.31 in
Material: Brass
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RPL-8907-BBR

Brass · pathway light

Shade diameter: 6.73 in
Shade height: 2.52 in
Material: Brass
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Architectural bronze
Configuration: 12 inch post · quote required / 15 inch post / 18 inch post / 24 inch post · quote required
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below. Dimensions refer to the pictured supplier configuration; selectable post lengths can change overall height.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RPL-8908-BBR

Brass · pathway light

Shade diameter: 7.56 in
Shade height: 2.6 in
Material: Brass
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Architectural bronze
Configuration: 12 inch post · quote required / 15 inch post · quote required / 18 inch post / 24 inch post · quote required
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below. Dimensions refer to the pictured supplier configuration; selectable post lengths can change overall height.

Quantity: _____ Location / notes: _____



Black · Catalog photo

RPL-6906-ABK

Aluminum · pathway light

Arm length: 6.34 in
Height: 20.51 in
Material: Aluminum
Voltage: 12V
Lamp: Integrated LED
Power & light output: 5W · 235 / 245 / 225 lm (3000K / 4000K / 5000K)
Light color: 3000K / 4000K / 5000K
Fixture features: Switchable 3CCT LED
Pictured finish: Black
Integrated LED; a separate bulb is not needed. The fixture switches between 3000K, 4000K and 5000K.

Quantity: _____ Location / notes: _____



Black · Catalog photo

RPL-6901

Aluminum · pathway light

Shade diameter: 5.93 in
Shade height: 2.4 in
Lamp enclosure height: 0.94 in
Material: Aluminum
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Black
Configuration: 12 inch post / 15 inch post / 18 inch post / 24 inch post
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below. Dimensions refer to the pictured supplier configuration; selectable post lengths can change overall height.

Quantity: _____ Location / notes: _____



Black · Catalog photo

RPL-6902

Aluminum · pathway light

Shade diameter: 7.8 in
Shade height: 2.48 in
Lamp enclosure height: 0.87 in
Material: Aluminum
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Black
Configuration: 12 inch post / 15 inch post / 18 inch post / 24 inch post
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below. Dimensions refer to the pictured supplier configuration; selectable post lengths can change overall height.

Quantity: _____ Location / notes: _____



Bronze · Catalog photo

RHL-8500-ABZ

Aluminum light bar + stainless steel bracket · hardscape light

Width: 2.79 in
Light bar thickness: 0.79 in
Bracket depth: 2.95 in
Material: Aluminum light bar + stainless steel bracket
Voltage: 12V
Lamp: Integrated LED
Power & light output: 0.5W · 30 lm
Light color: 2700K / 3000K / Red / Green / Blue
Fixture wire lead: 120 in
Pictured finish: Bronze
Integrated LED; a separate bulb is not needed. Red, green and blue are separate light-color variants and require a confirmed quote.

Quantity: _____ Location / notes: _____



Bronze · Catalog photo

RHL-8501-ABZ

Aluminum light bar + stainless steel bracket · hardscape light

Width: 6.89 in
Bracket depth: 2.91 in
Material: Aluminum light bar + stainless steel bracket
Voltage: 12V
Lamp: Integrated LED
Power & light output: 1.5W · 180 lm
Light color: 2700K / 3000K / Red / Green / Blue
Fixture wire lead: 120 in
Fixture features: Two installation methods / Multifunctional bracket
Pictured finish: Bronze
Integrated LED; a separate bulb is not needed. Red, green and blue are separate light-color variants and require a confirmed quote.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RHL-8501-BBR

Brass light bar + stainless steel bracket · hardscape light

Width: 6.85 in
Bracket depth: 2.83 in
Material: Brass light bar + stainless steel bracket
Voltage: 12V
Lamp: Integrated LED
Power & light output: 1.5W · 180 lm
Light color: 2700K / 3000K / Red / Green / Blue
Fixture wire lead: 120 in
Fixture features: Two installation methods / Multifunctional bracket
Pictured finish: Antique bronze
Integrated LED; a separate bulb is not needed. Red, green and blue are separate light-color variants and require a confirmed quote.

Quantity: _____ Location / notes: _____



Bronze · Catalog photo

RHL-8501R-ABZ

Aluminum light bar + stainless steel bracket · hardscape light

Width: 6.89 in
Light bar thickness: 0.83 in
Bracket depth: 2.91 in
Material: Aluminum light bar + stainless steel bracket
Voltage: 12V
Lamp: Integrated LED
Power & light output: 1.5W · 100 lm
Light color: 2700K / 3000K / Red / Green / Blue
Fixture wire lead: 120 in
Fixture features: Light bar adjustable +/-15 degrees
Pictured finish: Bronze
Integrated LED; a separate bulb is not needed. Red, green and blue are separate light-color variants and require a confirmed quote.

Quantity: _____ Location / notes: _____

RHL-8501RC-ABZ

Aluminum Adjustable and · hardscape light



Catalog product photo

Finishes: Bronze
Light output: 1.5W
Light color: 2700K / 3000K
Replaceable LED light bar; no separate socket bulb is listed.

Quantity: _____ Location / notes: _____

RHL-8501T-ABZ

Aluminum light bar + stainless steel bracket · hardscape light



Bronze · Catalog photo

Width: 6.89 in
Light bar thickness: 0.75 in
Bracket depth: 2.95 in
Material: Aluminum light bar + stainless steel bracket
Voltage: 12V
Lamp: Integrated LED
Power & light output: 4.3W · 180 lm
Light color: 2700K / 3000K / Red / Green / Blue
Fixture wire lead: 120 in
Pictured finish: Bronze
Integrated LED; a separate bulb is not needed. Red, green and blue are separate light-color variants and require a confirmed quote.

Quantity: _____ Location / notes: _____



Bronze · Catalog photo

RHL-8502R-ABZ

Aluminum light bar + stainless steel bracket · hardscape light

Width: 12.91 in
Light bar thickness: 1.06 in
Bracket depth: 2.95 in
Material: Aluminum light bar + stainless steel bracket
Voltage: 12V
Lamp: Integrated LED
Power & light output: 2.5W · 160 lm
Light color: 2700K / 3000K / Red / Green / Blue
Fixture wire lead: 120 in
Fixture features: Light bar adjustable +/-15 degrees
Pictured finish: Bronze
Integrated LED; a separate bulb is not needed. Red, green and blue are separate light-color variants and require a confirmed quote.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RDL-8306-BBR

Brass · wall & deck light

Diameter: 3.89 in
Hood height: 1.18 in
Base thickness: 0.72 in
Material: Brass
Voltage: 12V
Lamp: 1 × G4; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching G4 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RDL-6305-ABK

Aluminum · wall & deck light

Finishes: Black
Light output: 3W · 200 lm
Light color: 2700K / 3000K
Integrated LED; a separate bulb is not needed.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RSL-8301-LED

Cast brass · step light

Width: 4.49 in
Thickness: 0.43 in
Height: 2.95 in
Material: Cast brass
Voltage: 12V AC/DC
Lamp: Integrated LED
Power & light output: 2W · 35 lm
Light color: 2700K / 3000K
Pictured finish: Antique bronze
Integrated LED; a separate bulb is not needed.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RSL-8303-LED

Cast brass · step light

Width: 8.86 in
Thickness: 0.43 in
Height: 2.93 in
Material: Cast brass
Voltage: 12V AC/DC
Lamp: Integrated LED
Power & light output: 4W · 70 lm
Light color: 2700K / 3000K
Pictured finish: Antique bronze
Integrated LED; a separate bulb is not needed.

Quantity: _____ Location / notes: _____



Catalog product photo

RGL-L8800-BBR

cast-brass cover & Injection · in-ground light

Finishes: Bronze
Light output: No bulb — fixture only
Lamp: 1 × MR16; bulb selected separately
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RGL-L8801-BBR

cast-brass cover & Injection · in-ground light

Finishes: Bronze
Light output: No bulb — fixture only
Lamp: 1 × MR16; bulb selected separately
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RGL-L8802-BBR

cast-brass cover & Injection · in-ground light

Finishes: Bronze
Light output: No bulb — fixture only
Lamp: 1 × MR16; bulb selected separately
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RGL-L8803-BBR

cast-brass cover & Injection · in-ground light

Finishes: Bronze
Light output: No bulb — fixture only
Lamp: 1 × MR16; bulb selected separately
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RGL-8800-BBR

Brass · in-ground light

Diameter: 4.02 in
Height: 5.11 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RGL-8801-BBR

Brass · in-ground light

Diameter: 4.03 in
Height: 5.71 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RGL-8802-BBR

Brass · in-ground light

Diameter: 4.03 in
Height: 5.79 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RGL-8803-BBR

Brass · in-ground light

Diameter: 4.03 in
Height: 6.5 in
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RGL-8804-BBR

Brass cover and plastic body · in-ground light

Diameter: 5.63 in
Height: 8.31 in
Short-side height: 6.22 in
Material: Brass cover and plastic body
Voltage: 12V
Lamp: 1 × PAR36; bulbs not included
Fixture features: Two installation methods
Supplier-listed lens options: Clear tempered glass / Frosted tempered glass
Pictured finish: Antique bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching PAR36 lamp below.

Quantity: _____ Location / notes: _____



Antique bronze · Catalog photo

RGL-8805-BBR

Brass cover and plastic body · in-ground light

Diameter: 5.63 in
Height: 8.31 in
Short-side height: 6.22 in
Material: Brass cover and plastic body
Voltage: 12V
Lamp: 1 × PAR36; bulbs not included
Fixture features: Two installation methods
Supplier-listed lens options: Clear tempered glass / Frosted tempered glass
Pictured finish: Antique bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching PAR36 lamp below.

Quantity: _____ Location / notes: _____



Black · Catalog photo

RGL-6800-ABK

Aluminum · in-ground light

Diameter: 4 in
Height: 5.05 in
Material: Aluminum
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Black
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Black · Catalog photo

RGL-6801-ABK

Aluminum · in-ground light

Diameter: 4 in
Height: 5.51 in
Material: Aluminum
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Black
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Black · Catalog photo

RGL-6803-ABK

Aluminum · in-ground light

Diameter: 3.82 in
Height: 6.46 in
Material: Aluminum
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
Pictured finish: Black
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RGL-6805-75MM

Stainless steel · in-ground light

Finishes: Stainless steel
Light output: No bulb — fixture only
Lamp: 1 × MR16; bulb selected separately
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RGL-6804-62MM

Stainless Steel cover with body · in-ground light

Finishes: Stainless steel
Light output: No bulb — fixture only
Lamp: 1 × MR11; bulb selected separately
Bulb optional; choose a matching MR11 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RGL-6803-52MM

Stainless Steel cover with body · in-ground light

Finishes: Stainless steel
Light output: No bulb — fixture only
Lamp: 1 × MR8; bulb selected separately
Bulb optional; choose a matching MR8 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RTR-50W-1215-SS

Transformer

Finishes: Stainless steel

Quantity: _____ Location / notes: _____



Catalog product photo

RTR-100W-1215-SS

Transformer

Finishes: Stainless steel

Quantity: _____ Location / notes: _____



Catalog product photo

RTR-150W-1215-SS

Transformer

Finishes: Stainless steel

Quantity: _____ Location / notes: _____



Catalog product photo

RTR-300W-1215-SS

Transformer

Finishes: Stainless steel

Quantity: _____ Location / notes: _____



Catalog product photo

RTR-300W-1222-SS

Transformer

Finishes: Stainless steel

Quantity: _____ Location / notes: _____



Catalog product photo

RTR-600W-1215-SS

Transformer

Finishes: Stainless steel

Quantity: _____ Location / notes: _____



Catalog product photo

RTR-600W-1222-SS

Transformer

Finishes: Stainless steel

Quantity: _____ Location / notes: _____



Catalog product photo

RTR-900W-1222-SS

Transformer

Finishes: Stainless steel

Quantity: _____ Location / notes: _____



Catalog product photo

RTCA-SS

Transformer

Finishes: Stainless steel
Configuration: 75W / 150W

Quantity: _____ Location / notes: _____



Catalog product photo

RTCH-SS

Transformer

Finishes: Stainless steel
Configuration: 88W / 120W / 150W / 300W

Quantity: _____ Location / notes: _____



Catalog product photo

RWCH-01

Waterproof wire connectors · 100-piece bottle

Quantity: _____ Location / notes: _____



Catalog product photo

RWCH-02

Waterproof wire connectors · 100-piece bottle

Quantity: _____ Location / notes: _____



Catalog product photo

RWCH-03

Waterproof wire connectors · 100-piece bottle

Quantity: _____ Location / notes: _____



Catalog product photo

RWCH-04

Waterproof wire connectors · 100-piece bottle

Quantity: _____ Location / notes: _____



Catalog product photo

G4-1.5W

G4 1.5W · 1.5W · 120 lm

Light output: 1.5W · 120 lm
Light color: 2700K / 3000K
LED bulb; choose light color and beam angle where listed. Catalog and price-list output figures differ; rated lumens will be confirmed with your quote.

Quantity: _____ Location / notes: _____



Catalog product photo

G4-2.5W

G4 2.5W · 2.5W · 160 lm

Light output: 2.5W · 160 lm
Light color: 2700K / 3000K
LED bulb; choose light color and beam angle where listed. Catalog and price-list output figures differ; rated lumens will be confirmed with your quote.

Quantity: _____ Location / notes: _____



Catalog product photo

G4-3.5W

G4 3.5W · 3.5W · 220 lm

Light output: 3.5W · 220 lm
Light color: 2700K / 3000K
LED bulb; choose light color and beam angle where listed. Catalog and price-list output figures differ; rated lumens will be confirmed with your quote.

Quantity: _____ Location / notes: _____



Catalog product photo

MR8-2.5W

Mr8 2.5W · 2.5W

Light output: 2.5W
Light color: 2700K / 3000K
Beam angle: 80°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

MR11-2.5W

Mr11 2.5W · 2.5W

Light output: 2.5W
Light color: 2700K / 3000K
Beam angle: 38°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

MR16-ALUMINUM-3W

Mr16 Aluminum 3W · 3W · 270 lm

Light output: 3W · 270 lm
Light color: 2700K / 3000K
Beam angle: 38° / 60°
LED bulb; choose light color and beam angle where listed. Catalog and price-list output figures differ; rated lumens will be confirmed with your quote.

Quantity: _____ Location / notes: _____



Catalog product photo

MR16-ALUMINUM-5W

Mr16 Aluminum 5W · 5W · 400 lm

Light output: 5W · 400 lm
Light color: 2700K / 3000K
Beam angle: 38° / 60°
LED bulb; choose light color and beam angle where listed. Catalog and price-list output figures differ; rated lumens will be confirmed with your quote.

Quantity: _____ Location / notes: _____



Catalog product photo

MR16-ALUMINUM-7W

Mr16 Aluminum 7W · 7W · 530 lm

Light output: 7W · 530 lm
Light color: 2700K / 3000K
Beam angle: 38° / 60°
LED bulb; choose light color and beam angle where listed. Catalog and price-list output figures differ; rated lumens will be confirmed with your quote.

Quantity: _____ Location / notes: _____



Catalog product photo

MR16-ECONOMIC-3W

Mr16 Economic 3W · 3W · 250 lm

Light output: 3W · 250 lm
Light color: 2700K / 3000K
Beam angle: 15° / 38° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

MR16-ECONOMIC-5W

Mr16 Economic 5W · 5W · 380 lm

Light output: 5W · 380 lm
Light color: 2700K / 3000K
Beam angle: 15° / 38° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

MR16-ECONOMIC-7W

Mr16 Economic 7W · 7W · 480 lm

Light output: 7W · 480 lm
Light color: 2700K / 3000K
Beam angle: 15° / 38° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

MR16-WATERPROOF-4W

Mr16 Waterproof 4W · 4W · 380 lm

Light output: 4W · 380 lm
Light color: 2700K / 3000K
Beam angle: 45° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

MR16-WATERPROOF-5W

Mr16 Waterproof 5W · 5W · 460 lm

Light output: 5W · 460 lm
Light color: 2700K / 3000K
Beam angle: 45° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

MR16-WATERPROOF-6W

Mr16 Waterproof 6W · 6W · 540 lm

Light output: 6W · 540 lm
Light color: 2700K / 3000K
Beam angle: 45° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

MR16-WATERPROOF-7W

Mr16 Waterproof 7W · 7W · 540 lm

Light output: 7W · 540 lm
Light color: 2700K / 3000K
Beam angle: 45° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

PAR36-WATERPROOF-10W

Par36 Waterproof 10W · 10W · 1,000 lm

Light output: 10W · 1,000 lm
Light color: 2700K / 3000K
Beam angle: 15° / 24° / 38° / 60°
LED bulb; choose light color and beam angle where listed. Catalog and price-list output figures differ; rated lumens will be confirmed with your quote.

Quantity: _____ Location / notes: _____



Catalog product photo

PAR36-WATERPROOF-13W

Par36 Waterproof 13W · 13W · 1,300 lm

Light output: 13W · 1,300 lm
Light color: 2700K / 3000K
Beam angle: 15° / 24° / 38° / 60°
LED bulb; choose light color and beam angle where listed. Catalog and price-list output figures differ; rated lumens will be confirmed with your quote.

Quantity: _____ Location / notes: _____



Catalog product photo

PAR36-WATERPROOF-15W

Par36 Waterproof 15W · 15W · 1,480 lm

Light output: 15W · 1,480 lm
Light color: 2700K / 3000K
Beam angle: 15° / 24° / 38° / 60°
LED bulb; choose light color and beam angle where listed. Catalog and price-list output figures differ; rated lumens will be confirmed with your quote.

Quantity: _____ Location / notes: _____



Catalog product photo

PAR36-WATERPROOF-17W

Par36 Waterproof 17W · 17W · 1,650 lm

Light output: 17W · 1,650 lm
Light color: 2700K / 3000K
Beam angle: 15° / 24° / 38° / 60°
LED bulb; choose light color and beam angle where listed. Catalog and price-list output figures differ; rated lumens will be confirmed with your quote.

Quantity: _____ Location / notes: _____



Catalog product photo

PAR36-ECONOMIC-6W

Par36 Economic 6W · 6W · 450 lm

Light output: 6W · 450 lm
Light color: 2700K / 3000K
Beam angle: 45° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

PAR36-ECONOMIC-8W

Par36 Economic 8W · 8W · 650 lm

Light output: 8W · 650 lm
Light color: 2700K / 3000K
Beam angle: 45° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

PAR36-ECONOMIC-10W

Par36 Economic 10W · 10W · 830 lm

Light output: 10W · 830 lm
Light color: 2700K / 3000K
Beam angle: 45° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

PAR36-ECONOMIC-11W

Par36 Economic 11W · 11W · 870 lm

Light output: 11W · 870 lm
Light color: 2700K / 3000K
Beam angle: 45° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

PAR36-ECONOMIC-13W

Par36 Economic 13W · 13W · 970 lm

Light output: 13W · 970 lm
Light color: 2700K / 3000K
Beam angle: 45° / 60°
LED bulb; choose light color and beam angle where listed.

Quantity: _____ Location / notes: _____



Catalog product photo

SMART-MR16-WIFI

Smart Mr16 Wifi · 6W · 340–380 lm white · RGBCW

Light output: 6W · 340–380 lm white · RGBCW
LED bulb; app-controlled light color and dimming.

Quantity: _____ Location / notes: _____



Catalog product photo

SMART-MR16-BLUETOOTH

Smart Mr16 Bluetooth · 6W · 340–380 lm white · RGBCW

Light output: 6W · 340–380 lm white · RGBCW
LED bulb; app-controlled light color and dimming.

Quantity: _____ Location / notes: _____



Catalog product photo

SMART-PAR36

Smart Par36 · 12W · 50–1,000 lm · RGBCW

Light output: 12W · 50–1,000 lm · RGBCW
LED bulb; app-controlled light color and dimming.

Quantity: _____ Location / notes: _____



Catalog product photo

SMART-G4

Smart G4 · 2W · 340 lm (2700K) / 400 lm (6500K) · RGBCW

Light output: 2W · 340 lm (2700K) / 400 lm (6500K) · RGBCW
LED bulb; app-controlled light color and dimming.

Quantity: _____ Location / notes: _____



Catalog product photo

SMART-BLUETOOTH-REPEATER

Bluetooth repeater · smart bulb system

Quantity: _____ Location / notes: _____



Catalog product photo

SMART-REMOTE-CONTROLLER

Remote controller · smart bulb system

Quantity: _____ Location / notes: _____



Bronze · Catalog photo

RAC-6700

Aluminum · accessorie

Finishes: Bronze

Quantity: _____ Location / notes: _____



Catalog product photo

RAC-8700-BBR

Brass · accessorie

Finishes: Antique brass

Quantity: _____ Location / notes: _____



Catalog product photo

RAC-8701-BBR

Brass · accessorie

Finishes: Antique brass

Quantity: _____ Location / notes: _____

RAC-6701BZ

Aluminum · accessorie

Finishes: Bronze



Catalog product photo

Quantity: _____ Location / notes: _____

RAC-PC

Accessorie



Catalog product photo

Quantity: _____ Location / notes: _____



Catalog product photo

RAC-MT

Accessorie

Quantity: _____ Location / notes: _____



Catalog product photo

RAC-DT

Accessorie

Quantity: _____ Location / notes: _____



Catalog product photo

RDL-8200

Accessorie

Configuration: Brass / Aluminum

Quantity: _____ Location / notes: _____



Catalog product photo

RDL-8201

Accessorie

Configuration: Brass / Aluminum

Quantity: _____ Location / notes: _____



Catalog product photo

RDL-8202

Accessorie

Configuration: Brass / Aluminum

Quantity: _____ Location / notes: _____



Catalog product photo

RDL-8203 (6" POST)

brass · accessorie

Finishes: Bronze

Quantity: _____ Location / notes: _____



Catalog product photo

RDL-8204 (12" POST)

brass · accessorie

Finishes: Bronze

Quantity: _____ Location / notes: _____



Catalog product photo

RDL-8205(15" POST)

brass · accessorie

Finishes: Bronze

Quantity: _____ Location / notes: _____



Catalog product photo

RDL-8206(18" POST)

brass · accessorie

Finishes: Bronze

Quantity: _____ Location / notes: _____



Catalog product photo

RDL-8207(24" POST)

brass · accessorie

Finishes: Bronze

Quantity: _____ Location / notes: _____



Catalog product photo

GS-0

Accessorie

Quantity: _____ Location / notes: _____



Catalog product photo

GS-2

Accessorie

Quantity: _____ Location / notes: _____



Catalog product photo

GS-5

Accessorie

Quantity: _____ Location / notes: _____



Catalog product photo

GS-6

Accessorie

Quantity: _____ Location / notes: _____



Catalog product photo

RHL-PAR36

PAR36 Honeycomb lense

Lens diameter: 4.33 in
Accessory: PAR36 honeycomb lens

Quantity: _____ Location / notes: _____



Catalog product photo

RHL-MR16

MR16 Honeycomb lense

Lens diameter: 1.97 in
Accessory: MR16 honeycomb lens

Quantity: _____ Location / notes: _____



Catalog product photo

RHL-MR11

MR11 Honeycomb lense

Lens diameter: 1.18 in
Accessory: MR11 honeycomb lens

Quantity: _____ Location / notes: _____



Catalog product photo

RHL-MR8

MR8 Honeycomb lense

Lens diameter: 0.79 in
Accessory: MR8 honeycomb lens

Quantity: _____ Location / notes: _____



Catalog product photo

10-2-AWG-250FT

10/2 AWG-250FT · low-voltage landscape cable

Quantity: _____ Location / notes: _____



Catalog product photo

12-2-AWG-100FT

12/2 AWG-100FT · low-voltage landscape cable

Quantity: _____ Location / notes: _____



Catalog product photo

12-2-AWG-250FT

12/2 AWG-250FT · low-voltage landscape cable

Quantity: _____ Location / notes: _____



Catalog product photo

12-2-AWG-500FT

12/2 AWG-500FT · low-voltage landscape cable

Quantity: _____ Location / notes: _____



Catalog product photo

14-2-AWG-250FT

14/2 AWG-250FT · low-voltage landscape cable

Quantity: _____ Location / notes: _____



Catalog product photo

14-2-AWG-500FT

14/2 AWG-500FT · low-voltage landscape cable

Quantity: _____ Location / notes: _____



Catalog product photo

16-2-AWG-500FT

16/2 AWG(500FT/Roll) · low-voltage landscape cable

Quantity: _____ Location / notes: _____



Catalog product photo

18-2-AWG-250FT

18/2 AWG(250FT/Roll) · low-voltage landscape cable

Quantity: _____ Location / notes: _____



Catalog product photo

18-2-AWG-500FT

18/2 AWG(500FT/Roll) · low-voltage landscape cable

Quantity: _____ Location / notes: _____



Architectural bronze · Catalog photo

RUL-8404-BBR

Brass · underwater light

Overall dimensions: Confirmed with your quote
Material: Brass
Voltage: 12V
Lamp: 1 × MR16; bulbs not included
IP rating: IP68
Fixture wire lead: 36 in
Pictured finish: Architectural bronze
Light output: No bulb — fixture only
Bulb optional; choose a matching MR16 lamp below.

Quantity: _____ Location / notes: _____



Catalog product photo

RGL-W6805

Stainless steel in-ground light · MR16 bulb optional

Finishes: Silver
Light output: No bulb — fixture only
Lamp: 1 × MR16; bulb selected separately
MR16 bulb optional. Fixture price requires a quote.

Quantity: _____ Location / notes: _____

Your lighting selections

Record the exact model, finish, light color and quantity. Return this worksheet to your contractor for product confirmation and ordering.

Client: _____ Project: _____ Date: _____

MODEL NUMBER	FINISH	LIGHT COLOR	QTY	LOCATION / NOTES

Finishes and options vary by model. Product photos show the catalog finish; confirm your selected finish with your contractor. Dimensions shown in inches are approximate. Final specifications and compatibility must be confirmed before installation.